

# ***GLOVE* CATALOG**



Welcome to NABI HANDS' latest product catalog.

With new indexing of gloves and updated information, you will find the gloves that you want easier and faster than before.

All members in NABI HANDS will answer your questions with skilled manufacturing team for all industry at competitive prices.

Our strength is prompt feedback, stable quality and consistent discussion with customers.

Everywhere you reach, to make you easier and safer,  
We make gloves with care.  
We make gloves with passion.  
We make gloves better.  
We make yours.

We promise true expertise with personalized service.  
Thank you.

All members in  
NABI HANDS CO.,LTD.

A large, light gray watermark of the NABI HANDS logo is centered in the background. It features a stylized white flower with five petals inside a circle, with the words "NABI HANDS" written in a bold, sans-serif font along the bottom arc of the circle.

NABI HANDS

---

Information	1
General purpose glove	2
Assembly/Automotive glove	3
Cut protection glove	4
Impact protection gloves	5
Heavy-duty glove	6
ESD glove	7
Cold protection glove	8
Chemical protection gloves	9

---


# Information

## Size Chart

To find your glove size, you should measure your dominant hand.  
The right, if you are right-handed.  
The left, if you are left-handed.

- 1/ Measure around the hand at the fullest part(exclude thumb).
- 2/ Measure from the base of palm to the tip of the middle finger.
- 3/ Use the largest of these two measurements for the size of the glove.
- 4/ Note the measurement and compare it to the chart below.

Hand Size	Length(mm)	Width(mm)
6(XS)	210-219	65
7(S)	220-229	75
8(M)	230-239	85
9(L)	240-249	95
10(XL)	250-259	105
11(XXL)	260-269	115



All gloves with a cuff are color code for size identification

Size	6(XS)	7(S)	8(M)	9(L)	10(XL)	11(XXL)
Overedge color	Blue	White	Green	Brown	yellow	Gray
Color						

## Norms & Standards

Protective gloves  
against Mechanical Risks



EN388  
X X X X C P

According to EN388 standard, characteristics such as abrasion resistance, cut resistance, tearing strength, puncture resistnace and impact protection are tested. In company with the pictogram, four numbers and two letters will be shown. These marking indicate the performance of the glove.

Protective gloves  
against Cold



EN511  
X X X

In cold environments it is extra important to protect the hands from old burns. EN511 standard measure how well the glove can withstand both convective cold and contact cold. In addition, water permeation is tested after 30 minutes.

Protective gloves  
Against Thermal Risks



EN407  
X X X X X X

EN407 standard specifies demands and test methods for protective gloves that protect against heat and/or fire. The numbers given beside the pictogram indicates the glove performance for each test in the standard. The higher number means the better performance level.


EN388:2016 Edition

To comply with 2016/425 Directive, you must establish the level of risk and select the gloves of the appropriate class.


EN388:2016 STANDARD

The EN388 is the European standard used to evaluate Mechanical risks for hand protection. Gloves with a EN388 Ratings are related for abrasion, cut, tear and puncture resistance. EN388 standard used only the "Coup Test" to test for cut resistance before updating. The new EN388:2016 standard uses both "Coup Test" and the "TDM-100 Test" to measure cut resistance for a more accurate score. Also new impact protection test has been included.

NEW MARKING



ISO 13997 TEST METHOD (TDM-100 TEST)



NEWTON TO GRAM CONVERSION

EN388 RATING	RANGE (NEWTONS)	CONVERTED RANGE(GRAMS)	ANSI/ISEA 105 LEVEL	RANGE (GRAMS)
A	2 - 4.9	204-508	A1	200-499
B	5 - 9.9	509-1,019	A2	500-999
C	10 - 14.9	1,020-1,529	A3	1,000-1,499
D	15 - 21.9	1,530-2,242	A4	1,500-2,199
E	22 - 29.9	2,243-3,058	A5	2,200-2,999
F	30+	3,058+	A6	3,000-3,999
			A7	4,000-4,999
			A8	5,000-5,999
			A9	6,000+



## ➤ Fiber/ Backing yarn



### **Cotton :**

Made from Plant fibers and extremely skin-friendly.

Cotton is pleasant, soft to wear and can absorb sweat very effectively.

### **Nylon:**

Synthetic fiber made from petroleum.

Originally a synthetic substitute for silk. Nylon is permeable to air, elastic and durable.

### **Polyester:**

Made from polyethylene terephthalate (PET) synthetic material

From elastic fibers manufactured for glove, quick dry.

### **HPPE :**

Ultra high molecular weight polyethylene,

The strongest fiber in the world.

HPPE yarn is thinner and more flexible than other materials offering high Protection for cut and abrasion.

### **Glass fiber:**

Developed by high technology provides highest strength anti-abrasion and great cut resistance of gloves offering flexible and comfortable.

### **Spandex:**

Lycra, elastane synthetic fiber with excellent stability and durability.

Spandex in gloves maintain its shape and stay resilient.

---

## Coatings



### **Nitrile(NBR) :**

Nitrile is a synthetic polymer that is resistant to chemicals, oils and fuels. Due to the superior strength of nitrile, gloves dipped with nitrile also have a higher abrasion resistance compared to other polymers.

### **Polyurethane(PU):**

Polyurethane dipped gloves offer a high level of dexterity to the user. The dip also adheres through the entire glove liner, which prevents flakiness and peeling gloves.

### **Natural Rubber(Latex):**

Rubber dipped gloves have an inherently strong grip ability and are the most elastic Polymer. It performs well under extreme temperatures and do not tear easily. Rubber dipped gloves are not recommended for use with petroleum-based organic solvents.

### **Neoprene:**

Neoprene was invented to replace natural rubber in chemicals handling situations. It is not susceptible to most hazardous chemicals and can be used safely. It also holds up well to UV light.

### **Poly Vinyl Chloride(PVC)**

PVC is a low cost, liquid resistant polymer that performs well in petrochemical Situation because of good abrasion resistance and flexibility at low temperature.

---



A close-up photograph of a person's hands wearing grey, textured gardening gloves. The hands are reaching into a dense cluster of green tomatoes still attached to their vines. The tomatoes are unripe and have a greenish-yellow hue. The background is filled with the lush green leaves of the tomato plant, some showing signs of wear or damage. The overall lighting is soft and natural, suggesting an outdoor garden setting.

# GENERAL PURPOSE GLOVES



A pair of grey and teal gardening gloves is shown working with various succulents in pots. The gloves have a grey body and teal accents on the wrist and fingers. The background is filled with many different types of succulents in various pots, creating a colorful and textured environment. The gloves are positioned in the center, with one hand holding a small succulent and the other hand reaching towards it. The text "Non-linty seamless liner" is located in the top left corner, "Superior tactile feel" is in the middle right, and "Knit wrist to keep safe" is in the bottom right.

**Non-linty seamless liner**

**Superior tactile feel**

**Knit wrist to keep safe**



# General purpose glove\_PU



MODEL# 203G

## 202W

Yarn	Nylon
Coating	PU finger top dip
Size	XS/S/M/L/XL/XXL
Colour	White,White
Applications	Fine assembly work, Inspection
Features	High breathability, Flexible



## 212G

Yarn	Nylon
Coating	PU finger top dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Gray
Applications	Fine assembly work, Inspection
Features	High dexterity and breathability



# General purpose glove\_PU

## 203W

Yarn	Nylon
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	White, White
Applications	Precision work
Features	Outstanding dexterity



## 213RA

Yarn	Nylon
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Orange, Gray
Applications	Fine assembly work
Features	Flexible



## 213G

Yarn	Nylon
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Gray
Applications	Precision work
Features	Flexible



## 223BL

Yarn	Nylon
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black, Black
Applications	Fine assembly work
Features	Highly abrasion-resistant





# General purpose glove\_PU

## 213PK

Yarn	Nylon
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Pink, Gray
Applications	Precision work
Features	Flexible



## 213BL

Yarn	Nylon
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Blue, Gray
Applications	Assembly work
Features	Outstanding dexterity



MODEL# 203G

# General purpose glove\_NBR sandy



## G263GN

Yarn	Nylon, Spandex
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Light Green, Black
Applications	Oily material handling
Features	Ergonomic fit



## G263BL

Yarn	Nylon, Spandex
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black, Black
Applications	Automotive
Features	Highly abrasion-resistant





# General purpose glove\_NBR FOAM



MODEL# F263A

## F233W

Yarn	Nylon, Spandex
Coating	NBR Lunar foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	White, Gray
Applications	Machine operation
Features	Great breathability



## F263R

Yarn	Nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Red, Black
Applications	Landscaping
Features	Soft and flexible





# General purpose glove\_NBR FOAM

## HF293HY

Yarn	Nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Hi-viz yellow, Yellow
Applications	Agriculture, Landscaping
Features	Ergonomic fit, easy to find



## F263A

Yarn	Nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black Speckled, Black
Applications	Machine operation
Features	Ergonomic fit



## F263N-18G

Yarn	18gauge Nylon, Spandex
Coating	NBR foam on the palm
Size	S/M/L/XL/XXL
Colour	Dark Blue, Black
Applications	Automotive
Features	Abrasion resistant



## FDY263G

Yarn	Nylon, Spandex
Coating	NBR foam dotted on the palm
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black, Yellow dot
Applications	Assembly work
Features	Enhanced Grip



# General purpose glove\_NBR



MODEL# 223PK

## 223PK

Yarn	Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Pink, Light gray
Applications	Gardening
Features	Water-proof



## 223RA

Yarn	Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Orange, Gray
Applications	Agricultural
Features	Flexible



# General purpose glove\_NBR

## 223SB

Yarn	Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Sky blue, Gray
Applications	Machine operation
Features	Highly abrasion-resistant



## 223P

Yarn	Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Purple, Light gray
Applications	Light fabrication
Features	Flexible



## 263G

Yarn	Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Oily material handling
Features	Ergonomic fit



## 263BL

Yarn	Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black, Black
Applications	Automotive
Features	Liquid proof





# General purpose glove\_NBR

## 223GN

Yarn	Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Light green, Gray
Applications	Landscaping
Features	Water-proof



MODEL# 223SB

# General purpose glove\_Latex

## L263B

Yarn	Nylon, Spandex
Coating	Latex Sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Blue, Black
Applications	Machine operation
Features	Excellent Grip



## L263R

Yarn	Nylon, Spandex
Coating	Latex Sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Red, Black
Applications	Logistics
Features	Soft and flexible



## 112

Yarn	Cotton
Coating	Latex palm dip
Size	One size
Colour	Beige, Red
Applications	Multi-purpose
Features	Economic



## L2134P

Yarn	Polyester, Spandex
Coating	Latex foam half(3/4) dip
Size	XS/S/M/L/XL/XXL
Colour	Purple, light purple
Applications	Light fabrication
Features	Soft and flexible



# General purpose glove\_Latex crinkled

## LC5123Y

Yarn	5 Threads polycotton
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Yellow, Red
Applications	General warehousing
Features	Long wearing



## LC593G

Yarn	5 Threads polycotton
Coating	Latex crinkled finish palm + Thumb dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Blue
Applications	Maintenance
Features	Puncture resistant



## LC593SB

Yarn	5 Threads polycotton
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Sky Blue, Blue
Applications	Construction
Features	Excellent grip feeling



## LC5113Y

Yarn	5 Threads polycotton
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Yellow, Green
Applications	Light to medium fabrication
Features	Excellent grip feeling





# General purpose glove\_Latex crinkled

## LC263R

Yarn	Polyester
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Red, Black
Applications	Light fabrication
Features	Soft and flexible



## LC293G

Yarn	Polyester
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Blue
Applications	Machine operation
Features	Ergonomic fit



## LC2113Y

Yarn	Polyester
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Yellow, Green
Applications	Gardening
Features	Water-proof



## LC233R

Yarn	Polyester
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Red, Gray
Applications	Logistics, Landscaping
Features	Breathable



# AUTOMOTIVE, ASSEMBLY GLOVES







Extreme fit

Seamless liner for  
great breathability

Knit wrist to keep safe



# Assembly/Automotive glove



MODEL# F-263A

## GD2104GF

Yarn	Nylon, Spandex
Coating	NBR half(3/4) dip +NBR micro foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Purple, Black
Applications	Automotive
Features	Highly abrasion-resistant



## GD2105GF

Yarn	Nylon, Spandex
Coating	NBR full dip +NBR micro foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Purple, Black
Applications	Automotive
Features	Oil proof



# Assembly/Automotive glove

## GA263P

Yarn	Nylon, spandex
Coating	PUD sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Purple, Black
Applications	Automotive
Features	Comfort



## FP263G

Yarn	Nylon, Spandex
Coating	NBR foam palm dip(NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Ergonomic fit



## F263BL

Yarn	Nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black, Black
Applications	Automotive, Assembly
Features	Great breathability



## F263GF

Yarn	Nylon, spandex
Coating	NBR micro foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive, Assembly
Features	Highly abrasion-resistant



# Assembly/Automotive glove

---

## GA263G

Yarn	Nylon, Spandex
Coating	PUD sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Good grip



## GA263R

Yarn	Nylon, Spandex
Coating	PUD sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Red, Black
Applications	Assembly
Features	Good breathability



## GA263GN

Yarn	Nylon, Spandex
Coating	PUD sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Mint Green, Black
Applications	Automotive
Features	Flexible



## GA263B

Yarn	Nylon, Spandex
Coating	PUD sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Blue, Black
Applications	Light fabrication
Features	Highly abrasion-resistant





# Assembly/Automotive glove


## F263G

Yarn	Nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Ergonomic fit



## FD263G

Yarn	Nylon, Spandex
Coating	NBR foam palm dip (dotted on palm)
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Enhanced Grip



## F264GF

Yarn	Nylon, Spandex
Coating	NBR micro foam half(3/4) dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Highly abrasion-resistant



## F265GF

Yarn	Nylon, Spandex
Coating	NBR micro foam full dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Highly abrasion-resistant







# CUT PROTECTION GLOVES





**Knit wrist to keep safe**

**Reinforcement  
Nitrile patch**

**High abrasion  
resistance with  
micro foam coating**

**Thinner seamless  
liner for reduced  
sweating but high  
cut protection**



# Cut protection glove\_Level 2~3



## 303W

Yarn	HPPE, White nylon, spandex
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	White, White
Applications	Automotive
Features	Great cut protection



## 313A

Yarn	HPPE, black nylon, spandex
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Gray
Applications	Glass handling
Features	Ergonomic fit, Good cut protection



# Cut protection glove\_Level 2~3

## 313W

Yarn	HPPE, Spandex
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	White, Gray
Applications	Glass plant
Features	Soft and Flexible



## 323GN

Yarn	HPPE, Green nylon, spandex(Double)
Coating	PU palm dip
Size	XS/X/M/L/XL/XXL
Colour	Green, Black
Applications	Sheet metal
Features	Great touch sensitivity



## A353GN

Yarn	HPPE, Green nylon, spandex(Double)
Coating	NBR foam palm
Size	XS/S/M/L/XL/XXL
Colour	Green, Transparent color
Applications	Sheet metal
Features	Great touch sensitivity



## A353Y

Yarn	HPPE, Yellow nylon, spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Yellow, Transparent color
Applications	Sheet metal
Features	Great touch sensitivity



# Cut protection glove\_Level 2~3

## G363G

Yarn	HPPE, Gray nylon, spandex (Double)
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Glass handling
Features	Great puncture protection



## G363A

Yarn	HPPE, Black nylon, spandex
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Bottling
Features	Ergonomic fit



## GDP363G

Yarn	HPPE, Gray nylon, spandex (Double)
Coating	NBR sandy finish double palm dip W/T reinforcement NBR patch
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Excellent grip



## GDP363A

Yarn	HPPE, Black nylon, Spandex
Coating	NBR sandy finish double palm dip W/T reinforcement NBR patch
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Handling sharp objects
Features	Ergonomic fit






# Cut protection glove\_Level 2~3


## 363A

Yarn	HPPE, Black nylon, spandex
Coating	NBR smooth finish palm
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Packaging, Glass industry
Features	Outstanding dexterity



## F363A

Yarn	HPPE, Black nylon, spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Metal industry
Features	Good cut resistance



## GD384A

Yarn	HPPE, Black nylon, spandex
Coating	NBR half + NBR sandy finish palm dip (Double)
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Blue, Black
Applications	Metal industry, Automotive industry
Features	Mechanical strength, Oil proof



## GD385A

Yarn	HPPE, Black nylon, spandex
Coating	NBR full + NBR sandy finish palm dip (Double)
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Blue, Black
Applications	Construction, Transportation work
Features	Oil and water proof



# Cut protection glove\_Level 2~3

## GDP374GN

Yarn	HPPE, Green nylon, spandex (Double)
Coating	NBR half + NBR sandy finish palm Double dip(leather patch)
Size	XS/X/M/L/XL/XXL
Colour	Green, Gray, Black
Applications	Metal industry, Maintenance
Features	Water and oil proof, leather patch



## GDP374LN

Yarn	HPPE, Light green nylon, spandex (Double)
Coating	NBR half + NBR sandy finish palm Double dip (reinforcement NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Light Green, Gray, Black
Applications	Assembly work, Glass industry
Features	High flexibility, Oil proof



## F363BF

Yarn	18G HPPE, Blue nylon, spandex (Double)
Coating	NBR Micro foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Blue, Black
Applications	Assembly work, repair
Features	Highest wearing comfort and flexible



## F363R

Yarn	15G HPPE, Red nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Red, Black
Applications	Transportation work
Features	Great grip for soft coating





# Cut protection glove\_Level 2~3


## F343SB

Yarn	HPPE, Light blue nylon, spandex
Coating	Blue NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Light blue, Blue
Applications	Automotive, paper industry
Features	High abrasion resistance



## FP363GNF

Yarn	HPPE, Green nylon, spandex(Double)
Coating	NBR micro finish palm dip (with reinforcement NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Green, Black
Applications	Automotive, assembly
Features	Great comfort and flexible



# Cut protection glove\_Level 4~5



MODEL#FP763NF

## 703W

Yarn	HPPE,Glass,White nylon, spandex
Coating	PU palm dip
Size	XS/X/M/L/XL/XXL
Colour	White, White
Applications	Fishing industry, wire & cable industry
Features	Flexible, seamless liner



## 713A

Yarn	HPPE,Glass,Black nylon, spandex
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Gray
Applications	Metal handling
Features	Great breathability, high cut resistant





# Cut protection glove\_Level 4~5

## GD784A

Yarn	HPPE, Glass, Black nylon, spandex
Coating	NBR smooth finish half(3/4) +NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Blue, Black
Applications	Fishing industry, Wire & cable industry
Features	Highest cut resistant level



## GD785A

Yarn	HPPE, Glass, Black nylon, spandex
Coating	NBR smooth finish full +NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Blue, Black
Applications	Razor blade manufacturing
Features	Oil and grease resistant



## 763A

Yarn	HPPE, Glass, Black nylon, spandex
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Metal handling, Glass handling
Features	High cut resistant level



## F763A

Yarn	HPPE, Glass, Black nylon, spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Transportation work, Automotive
Features	Anti slip, high abrasion resistance



# Cut protection glove\_Level 4~5

---

## G763A

Yarn	HPPE,Glass,black nylon, spandex
Coating	NBR sandy finish palm dip
Size	XS/X/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Wire & Cable industry
Features	Anti slip, flexible



## G763RA

Yarn	HPPE, Glass, Orange nylon, spandex (Double)
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Orange, Black
Applications	Shipping/ Logistics
Features	Visible, high cut protection



## G763HG

Yarn	HPPE, Glass, Hiviz green nylon, Spandex(Double)
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Hi-viz Green, Black
Applications	Shipping/ Logistics
Features	Visible, high cut protection



## G763B


Yarn	HPPE,Glass, Blue nylon, spandex
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Blue, Black
Applications	Maintenance and repair
Features	Very high cut protection and flexible



# Cut protection glove\_Level 4~5

## FP763NF

Yarn	HPPE, Glass, navy nylon, spandex (Double)
Coating	NBR micro foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Dark Blue, Black
Applications	Fishing industry, packaging
Features	Flexible, great breathability



## F764A

Yarn	HPPE, Glass, Black nylon, spandex (Double)
Coating	NBR foam half(3/4) dip
Size	XS/S/M/L/XL/XXL
Colour	Black, Black
Applications	Maintenance and repair
Features	Oil and grease resistant



## 713G

Yarn	Gray HPPE, Gray nylon, spandex
Coating	Gray PU palm
Size	XS/S/M/L/XL/XXL
Colour	Gray, Gray
Applications	Metal handling, Glass handling
Features	High cut resistant level



## L793G

Yarn	Gray HPPE, Gray nylon, spandex
Coating	Latex foam palm (diamond stamp)
Size	XS/S/M/L/XL/XXL
Colour	Gray, Dark Green
Applications	Transportation work, Automotive
Features	Anti slip, high abrasion resistance





# Cut protection glove\_Level 4~5

---

## L793HG

Yarn	HPPE,Glass,nylon, spandex
Coating	Latex foam palm dip(diamond stamp)
Size	XS/X/M/L/XL/XXL
Colour	Hiviz Green, Blue
Applications	Wire & Cable industry
Features	Visible, high cut protection



## GD763G

Yarn	Gray HPPE, Gray Nylon,Spandex
Coating	NBR sandy finish double palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Shipping/ Logistics
Features	Oil or Liquid resistant



## GD784G

Yarn	Gray HPPE, Nylon, Spandex
Coating	NBR half + NBR sandy finish palm
Size	XS/S/M/L/XL/XXL
Colour	Gray, Blue, Black
Applications	Shipping/ Logistics
Features	Oil or Liquid resistant,high cut resistant



# Cut protection glove\_Level 4~5

---







# IMPACT PROTECTION GLOVES

# Impact protection glove

MODEL# GI763HY



## GI763A

Yarn	HPPE, Glass, black nylon, spandex (Valcro fastener)
Coating	NBR sandy finish palm (palm padding, Rubber patch)
Size	S/M/L/XL/XXL
Colour	Black speckled, Black, Red
Applications	Recycling, Salvage, Sanitation
Features	Excellent impact and cut resistance



## GI763HY

Yarn	HPPE, Glass, Hiviz yellow nylon, Spandex (Double knitting, Valcro fastener)
Coating	NBR sandy finish palm (palm padding, Rubber patch)
Size	S/M/L/XL/XXL
Colour	Hiviz Yellow, Black, Yellow
Applications	Sheet metal industry, Glass handling
Features	Padded palm, reinforced thumb crotch






# HEAVY-DUTY GLOVES







**Latex double waved  
coating for enhanced  
dry and wet grip**

**Knit wrist to keep  
hands clean from  
dirt and debris**

**Outstanding ventilation  
of Cotton shell**



# Heavy-duty glove

## LC4114

Yarn	Cotton(Interlock) knit wrist
Coating	Latex waved crinkled half(3/4) dip
Size	S/M/L/XL/XXL
Colour	Beige, Green
Applications	Gardening, Landscaping
Features	Enhanced dry and wet grip



## 4144

Yarn	Cotton(Interlock) knit wrist
Coating	Nitrile half(3/4) dip
Size	S/M/L/XL/XXL
Colour	Beige, Yellow
Applications	Transport, Packaging work
Features	Good dexterity



## 4145

Yarn	Cotton(Interlock) knit wrist
Coating	Nitrile full dip
Size	S/M/L/XL/XXL
Colour	Beige, Orange
Applications	All –round gloves, Repairs
Features	Exceptional comfort



## 494

Yarn	Cotton(Interlock) knit wrist
Coating	Nitrile half(3/4) dip
Size	S/M/L/XL/XXL
Colour	Beige, Dark blue
Applications	Light/ Medium metal processing
Features	Good ventilation



# Heavy-duty glove

## 994

Yarn	Cotton(Jersey) knit wrist
Coating	Nitrile half(3/4) dip
Size	S/M/L/XL/XXL
Colour	Beige, Dark blue
Applications	General warehousing
Features	Good abrasion resistance



## 995

Yarn	Cotton(Jersey) knit wrist
Coating	Nitrile full dip
Size	S/M/L/XL/XXL
Colour	Beige, Dark blue
Applications	Logistics
Features	Resists grease oil and liquids



## 994C

Yarn	Cotton(Jersey) with safety cuff
Coating	Nitrile half(3/4) dip
Size	S/M/L/XL/XXL
Colour	Beige, Dark blue
Applications	Fabricated building materials
Features	Tear -resistant



## 995C

Yarn	Cotton(Jersey) with safety cuff
Coating	Nitrile full dip
Size	S/M/L/XL/XXL
Colour	Beige, Dark blue
Applications	Heavy duty castings
Features	Maximize fit and comfort





# ESD GLOVES





# ESD glove

## 802W

Yarn	White Nylon(80%)+Carbon liner(20%)
Coating	White PU finger top
Size	S/M/L/XL/XXL
Colour	Grey speckled, White
Applications	Electronics, Aerospace science
Features	Surface Resistivity : $1 \times 10^{3-5}\Omega$



## 803W

Yarn	White Nylon(80%) + Carbon liner(20%)
Coating	White PU palm
Size	S/M/L/XL/XXL
Colour	Grey speckled, White
Applications	Biotech, Lab examination
Features	Surface Resistivity : $1 \times 10^{3-5}\Omega$



MODEL# 802W

# *COLD PROTECTION GLOVES*





# Cold protection glove

## L663BL

Yarn	13G polyester + 7G Thermal liner (Napping inside)
Coating	Latex foam palm
Size	S/M/L/XL/XXL
Colour	Black, Black
Applications	Refrigerated area
Features	Extra softness



## L663HY

Yarn	7G Thermal liner(Napping inside)
Coating	Latex foam palm(Thumb dip)
Size	S/M/L/XL/XXL
Colour	Hi-viz yellow, Black
Applications	Construction, Outdoor
Features	Comfort fit



## LD665RA

Yarn	13G polyester + 7G Thermal liner (Napping inside)
Coating	Latex full dip + latex sandy palm dip (thumb dip) double dipping
Size	S/M/L/XL/XXL
Colour	Orange, Orange, Dark gray
Applications	Refrigerated area, fishing
Features	Excellent thermal insulation



## G664B

Yarn	13G polyester + 7G Thermal liner (Napping inside)
Coating	NBR sandy finish half double dip
Size	S/M/L/XL/XXL
Colour	Black + Blue, Black
Applications	Fishing, Refrigerated area
Features	Excellent thermal insulation, Water and oil proof





# CHEMICAL PROTECTION GLOVES



# Chemical protection glove

## CH0115

Composition	Nitrile flocklined (L:325mm,Thk:0.38mm, Single wall)
Size	S/M/L/XL
Colour	Green
Applications	Oil refining, Chemical plants
Features	High durability



## CH0175

Composition	Bi-color Neoprene (L:325mm,Thk:0.53mm)
Size	S/M/L/XL
Colour	Yellow, Blue
Applications	Chemical plant, Food processing
Features	Improved puncture resistant



## CH2165

Yarn	18G Nylon (Length : 275mm)
Coating	Nitrile full + Nitrile micro foam palm
Size	S/M/L/XL
Colour	Green, Black
Applications	Painting industry, Chemical plant
Features	Good protection from hydraulic fluids



MODEL# CH0175



**NABI HANDS CO.,LTD.**

Address // 383-12,Gonghang-ro,Daejeo-2dong,  
Gangseo-gu, Busan,49418,Korea

Tel// +82-51-925-2887  
Fax// +82-51-925-2886

Website // [www.nabihands.com](http://www.nabihands.com)

