

2023



GLOVE CATALOG

Welcome to NABI HANDS' latest product catalog.

With new indexing of gloves and updated information, you will find the gloves that you want easier and faster than before.

All members in NABI HANDS will answer your questions with skilled manufacturing team for all industry at competitive prices.

Our strength is prompt feedback, stable quality and consistent discussion with customers.

Everywhere you reach, to make you easier and safer,
We make gloves with care.

We make gloves with passion.

We make gloves better.

We make yours.

We promise true expertise with personalized service.
Thank you.

All members in
NABI HANDS CO.,LTD.



Information	1
General purpose glove	2
Assembly/Automotive glove	3
Cut protection glove	4
Impact protection glove	5
Heavy-duty glove	6
ESD glove	7
Cold protection glove	8
Chemical protection glove	9


Information

Size Chart

To find your glove size, you should measure your dominant hand.
 The right, if you are right-handed.
 The left, if you are left-handed.

- 1/ Measure around the hand at the fullest part(exclude thumb).
- 2/ Measure from the base of palm to the tip of the middle finger.
- 3/ Use the largest of these two measurements for the size of the glove.
- 4/ Note the measurement and compare it to the chart below.

Hand Size	Length(mm)	Width(mm)
6(XS)	210-219	65
7(S)	220-229	75
8(M)	230-239	85
9(L)	240-249	95
10(XL)	250-259	105
11(XXL)	260-269	115



All gloves with a cuff are color code for size identification

Size	6(XS)	7(S)	8(M)	9(L)	10(XL)	11(XXL)
Overedge color	Blue	White	Green	Brown	yellow	Gray
Color						

Norms & Standards

Protective gloves
 against Mechanical Risks



EN388
 X X X X C P

According to EN388 standard, characteristics such as abrasion resistance, cut resistance, tearing strength, puncture resistance and impact protection are tested. In company with the pictogram, four numbers and two letters will be shown. These marking indicate the performance of the glove.

Protective gloves
 against Cold



EN511
 X X X

In cold environments it is extra important to protect the hands from cold burns. EN511 standard measure how well the glove can withstand both convective cold and contact cold. In addition, water permeation is tested after 30 minutes.

Protective gloves
 Against Thermal Risks



EN407
 X X X X X X

EN407 standard specifies demands and test methods for protective gloves that protect against heat and/or fire. The numbers given beside the pictogram indicates the glove performance for each test in the standard. The higher number means the better performance level.


EN388:2016 Edition

To comply with 2016/425 Directive, you must establish the level of risk and select the gloves of the appropriate class.


EN388:2016 STANDARD

The EN388 is the European standard used to evaluate Mechanical risks for hand protection. Gloves with a EN388 Ratings are related for abrasion, cut, tear and puncture resistance. EN388 standard used only the "Coup Test" to test for cut resistance before updating. The new EN388:2016 standard uses both "Coup Test" and the "TDM-100 Test" to measure cut resistance for a more accurate score. Also new impact protection test has been included.

NEW MARKING



ISO 13997 TEST METHOD (TDM-100 TEST)



NEWTON TO GRAM CONVERSION

EN388 RATING	RANGE (NEWTONS)	CONVERTED RANGE(GRAMS)	ANSI/ISEA 105 LEVEL	RANGE (GRAMS)
A	2 - 4.9	204-508	A1	200-499
B	5 - 9.9	509-1,019	A2	500-999
C	10 - 14.9	1,020-1,529	A3	1,000-1,499
D	15 - 21.9	1,530-2,242	A4	1,500-2,199
E	22 - 29.9	2,243-3,058	A5	2,200-2,999
F	30+	3,058+	A6	3,000-3,999
			A7	4,000-4,999
			A8	5,000-5,999
			A9	6,000+

Fiber/ Backing yarn



Cotton :

Made from Plant fibers and extremely skin-friendly.

Cotton is pleasant, soft to wear and can absorb sweat very effectively.

Nylon:

Synthetic fiber made from petroleum.

Originally a synthetic substitute for silk. Nylon is permeable to air, elastic and durable.

Polyester:

Made from polyethylene terephthalate (PET) synthetic material

From elastic fibers manufactured for glove, quick dry.

HPPE :

Ultra high molecular weight polyethylene,

The strongest fiber in the world.

HPPE yarn is thinner and more flexible than other materials offering high Protection for cut and abrasion.

Glass fiber:

Developed by high technology provides highest strength anti-abrasion and great cut resistance of gloves offering flexible and comfortable.

Spandex:

Lycra, elastane synthetic fiber with excellent stability and durability.

Spandex in gloves maintain its shape and stay resilient.

Coatings



Nitrile(NBR) :

Nitrile is a synthetic polymer that is resistant to chemicals, oils and fuels. Due to the superior strength of nitrile, gloves dipped with nitrile also have a higher abrasion resistance compared to other polymers.

Polyurethane(PU):

Polyurethane dipped gloves offer a high level of dexterity to the user. The dip also adheres through the entire glove liner, which prevents flakiness and peeling gloves.

Natural Rubber(Latex):

Rubber dipped gloves have an inherently strong grip ability and are the most elastic Polymer. It performs well under extreme temperatures and do not tear easily. Rubber dipped gloves are not recommended for use with petroleum-based organic solvents.

Neoprene:

Neoprene was invented to replace natural rubber in chemicals handling situations. It is not susceptible to most hazardous chemicals and can be used safely. It also holds up well to UV light.

Poly Vinyl Chloride(PVC)

PVC is a low cost, liquid resistant polymer that performs well in petrochemical Situation because of good abrasion resistance and flexibility at low temperature.



General purpose
glove



Non-linty seamless liner

Superior tactile feel

Knit wrist to keep safe

General purpose glove_PU



MODEL# 203G

202W

Yarn	13gauge Nylon
Coating	PU finger top dip
Size	XS/S/M/L/XL/XXL
Colour	White, White
Applications	Fine assembly work, Inspection
Features	High breathability, Flexible



212G

Yarn	13gauge Nylon
Coating	PU finger top dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Gray
Applications	Fine assembly work, Inspection
Features	High dexterity and breathability



General purpose glove_PU

203W

Yarn	13gauge Nylon
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	White, White
Applications	Precision work
Features	Outstanding dexterity



213RA

Yarn	13gauge Nylon
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Orange, Gray
Applications	Fine assembly work
Features	Flexible



213G

Yarn	13gauge Nylon
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Gray
Applications	Precision work
Features	Flexible



223BL

Yarn	13gauge Nylon
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black, Black
Applications	Fine assembly work
Features	Highly abrasion-resistant



General purpose glove_PU

213PK

Yarn	13gauge Nylon
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Pink, Gray
Applications	Precision work
Features	Flexible



213BL

Yarn	13gauge Nylon
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Blue, Gray
Applications	Assembly work
Features	Outstanding dexterity



MODEL# 203G

General purpose glove_NBR sandy

MODEL# G263B



G263GN

Yarn	15gauge Nylon, Spandex
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Light Green, Black
Applications	Oily material handling
Features	Ergonomic fit



G263BL

Yarn	15gauge Nylon, Spandex
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black, Black
Applications	Automotive
Features	Highly abrasion-resistant



General purpose glove_NBR FOAM



MODEL# F263A

F233W

Yarn	13gauge Nylon, Spandex
Coating	NBR Lunar foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	White, Gray
Applications	Machine operation
Features	Great breathability



F263R

Yarn	13gauge Nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Red, Black
Applications	Landscaping
Features	Soft and flexible



General purpose glove_NBR FOAM

HF293HY

Yarn	13gauge Nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Hi-viz yellow, Yellow
Applications	Agriculture, Landscaping
Features	Ergonomic fit, easy to find



F263A

Yarn	13gauge Nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black Speckled, Black
Applications	Machine operation
Features	Ergonomic fit



F263N

18 GAUGE

Yarn	18gauge Nylon, Spandex
Coating	NBR foam palm dip
Size	S/M/L/XL/XXL
Colour	Dark Blue, Black
Applications	Automotive
Features	Abrasion resistant



FDY263G

Yarn	15gauge Nylon, Spandex
Coating	NBR foam dotted on the palm
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black, Yellow dot
Applications	Assembly work
Features	Enhanced Grip



General purpose glove_NBR



MODEL# 223PK

223PK

Yarn	13gauge Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Pink, Light gray
Applications	Gardening
Features	Water-proof



223RA

Yarn	13gauge Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Orange, Gray
Applications	Agricultural
Features	Flexible



General purpose glove_NBR

223SB

Yarn	13gauge Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Sky blue, Gray
Applications	Machine operation
Features	Highly abrasion-resistant



223P

Yarn	13gauge Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Purple, Light gray
Applications	Light fabrication
Features	Flexible



263G

Yarn	13gauge Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Oily material handling
Features	Ergonomic fit



263BL

Yarn	13gauge Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black, Black
Applications	Automotive
Features	Liquid proof



General purpose glove_NBR

223GN

Yarn	13gauge Nylon
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Light green, Gray
Applications	Landscaping
Features	Water-proof



F263OR

EASY-TEAR

Yarn	13gauge Nylon
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Orange, Black
Applications	Handling machine
Features	Break part section



MODEL# L285SB

General purpose glove_Latex

L263B

Yarn	15gauge Nylon, Spandex
Coating	Latex Sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Blue, Black
Applications	Machine operation
Features	Excellent Grip



L263R

Yarn	15gauge Nylon, Spandex
Coating	Latex Sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Red, Black
Applications	Logistics
Features	Soft and flexible



L2134P

Yarn	13gauge Polyester, Spandex
Coating	Latex foam half(3/4) dip
Size	XS/S/M/L/XL/XXL
Colour	Purple, light purple
Applications	Light fabrication
Features	Soft and flexible



L285SB

WATER-PROOF

Yarn	13gauge Nylon ,Spandex
Coating	Latex full dip, Latex Sandy palm dip
Size	XS/S/M/L/XL/XXL
Colour	Sky blue. black
Applications	Multi-purpose
Features	Excellent Grip, Water-proof



General purpose glove_Latex crinkled

LC5123Y

Yarn	10gauge 5 Threads polycotton
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Yellow, Red
Applications	General warehousing
Features	Long wearing



LC593G

Yarn	10gauge 5 Threads polycotton
Coating	Latex crinkled finish palm + Thumb dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Blue
Applications	Maintenance
Features	Puncture resistant



LC593SB

Yarn	10gauge 5 Threads polycotton
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Sky Blue, Blue
Applications	Construction
Features	Excellent grip feeling



LC5113Y

Yarn	10gauge 5 Threads polycotton
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Yellow, Green
Applications	Light to medium fabrication
Features	Excellent grip feeling



EN407



X2XXXX

EN388



3143X



General purpose glove_Latex crinkled

LC263R

Yarn	13gauge Polyester
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Red, Black
Applications	Light fabrication
Features	Soft and flexible



LC293G

Yarn	13gauge Polyester
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Blue
Applications	Machine operation
Features	Ergonomic fit



LC2113Y

Yarn	13gauge Polyester
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Yellow, Green
Applications	Gardening
Features	Water-proof



LC233R

Yarn	13gauge Polyester
Coating	Latex crinkled finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Red, Gray
Applications	Logistics, Landscaping
Features	Breathable





Automotive,
Assembly glove



Extreme fit

Seamless liner for great breathability

Knit wrist to keep safe

Assembly/Automotive glove



MODEL# F2153N

GD2104GF	18 GAUGE
Yarn	18gauge Nylon, Spandex
Coating	NBR half(3/4) dip +NBR micro foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Purple, Black
Applications	Automotive
Features	Highly abrasion-resistant



GD2105GF	18 GAUGE
Yarn	18gauge Nylon, Spandex
Coating	NBR full dip +NBR micro foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Purple, Black
Applications	Automotive
Features	Oil proof



Assembly/Automotive glove

F263GF

Yarn	15gauge Nylon, Spandex
Coating	NBR micro foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive, Assembly
Features	Highly abrasion-resistant



FP263G

Yarn	15gauge Nylon, Spandex
Coating	NBR foam palm dip(NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Ergonomic fit



F263BL

Yarn	15gauge Nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black, Black
Applications	Automotive, Assembly
Features	Great breathability



F2153N

Yarn	15gauge Nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Dark blue, Orange
Applications	Automotive
Features	Ergonomic fit, Enhanced Grip



Assembly/Automotive glove

GA263P

Yarn	15gauge Nylon, Spandex
Coating	PUD sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Purple, Black
Applications	Automotive
Features	Comfort



GA263R

Yarn	15gauge Nylon, Spandex
Coating	PUD sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Red, Black
Applications	Assembly
Features	Good breathability



GA263GN

Yarn	15gauge Nylon, Spandex
Coating	PUD sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Mint Green, Black
Applications	Automotive
Features	Flexible



GA263B

Yarn	15gauge Nylon, Spandex
Coating	PUD sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Blue, Black
Applications	Light fabrication
Features	Highly abrasion-resistant



Assembly/Automotive glove

F263G

Yarn	15gauge Nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Ergonomic fit



FD263G

Yarn	15gauge Nylon, Spandex
Coating	NBR foam palm dip (dotted on palm)
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Enhanced Grip



F264GF

Yarn	15gauge Nylon, Spandex
Coating	NBR micro foam half(3/4) dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Highly abrasion-resistant



F265GF

FULLY COATED

Yarn	15gauge Nylon, Spandex
Coating	NBR micro foam full dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Highly abrasion-resistant





Cut Protection glove



Knit wrist to keep safe

**Reinforcement
Nitrile patch**

**High abrasion
resistance with
micro foam coating**

**Thinner seamless
liner for reduced
sweating but high
cut protection**

Cut protection glove_Level 2~3



MODEL# GDP374GN

303W

Yarn	13gauge HPPE, White nylon, Spandex
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	White, White
Applications	Automotive
Features	Great cut protection



313A

Yarn	13gauge HPPE, Black nylon, Spandex
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Gray
Applications	Glass handling
Features	Ergonomic fit, Good cut protection



Cut protection glove_Level 2~3

313W

Yarn	13gauge HPPE, Spandex
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	White, Gray
Applications	Glass plant
Features	Soft and Flexible



EN407



X1XXXX

EN388



4443B



323GN

Yarn	13gauge HPPE, Green nylon, Spandex (Double)
Coating	PU palm dip
Size	XS/X/M/L/XL/XXL
Colour	Green, Black
Applications	Sheet metal
Features	Great touch sensitivity



A353GN

Yarn	13gauge HPPE, Green nylon, Spandex
Coating	NBR foam palm
Size	XS/S/M/L/XL/XXL
Colour	Green, Transparent color
Applications	Sheet metal
Features	Great touch sensitivity



A353Y

Yarn	13gauge HPPE, Yellow nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Yellow, Transparent color
Applications	Sheet metal
Features	Great touch sensitivity



Cut protection glove_Level 2~3

G363G

Yarn	13gauge HPPE, Gray nylon, Spandex (Double)
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Glass handling
Features	Great puncture protection



G363A

Yarn	13gauge HPPE, Black nylon, Spandex
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Bottling
Features	Ergonomic fit



GDP363G

Yarn	13gauge HPPE, Gray nylon, Spandex (Double)
Coating	NBR sandy finish double palm dip W/T reinforcement NBR patch
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Automotive
Features	Excellent grip



GDP363A

Yarn	13gauge HPPE, Black nylon, Spandex
Coating	NBR sandy finish double palm dip W/T reinforcement NBR patch
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Handling sharp objects
Features	Ergonomic fit



Cut protection glove_Level 2~3

363A

Yarn	13gauge HPPE, Black nylon, Spandex
Coating	NBR smooth finish palm
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Packaging, Glass industry
Features	Outstanding dexterity



F363A

Yarn	13gauge HPPE, Black nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Metal industry
Features	Good cut resistance



GD384A

Yarn	13gauge HPPE, Black nylon, Spandex
Coating	NBR half + NBR sandy finish palm dip (Double)
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Blue, Black
Applications	Metal industry, Automotive industry
Features	Mechanical strength, Oil proof



GD385A

Yarn	13gauge HPPE, Black nylon, Spandex
Coating	NBR full + NBR sandy finish palm dip (Double)
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Blue, Black
Applications	Construction, Transportation work
Features	Oil and water proof



Cut protection glove_Level 2~3

F343SB

Yarn	HPPE, Light blue nylon, Spandex
Coating	Blue NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Light blue, Blue
Applications	Automotive, paper industry
Features	High abrasion resistance



GDP374LN

Yarn	15gauge HPPE, Light green nylon, Spandex (Double)
Coating	NBR half + NBR sandy finish palm Double dip (reinforcement NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Light Green, Gray, Black
Applications	Assembly work, Glass industry
Features	High flexibility, Oil proof



F363BF

Yarn	18gauge HPPE, Blue nylon, Spandex (Double)
Coating	NBR Micro foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Blue, Black
Applications	Assembly work, repair
Features	Highest wearing comfort and flexible



F363R

Yarn	15gauge HPPE, Red nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Red, Black
Applications	Transportation work
Features	Great grip for soft coating



Cut protection glove_Level 2~3

323BL	21GAUGE
Yarn	21gauge HPPE, Glass, nylon, Spandex (Double)
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black, Black
Applications	Maintenance and repair
Features	Flexible, great breathability



FP363GNF	18GAUGE
Yarn	18gauge HPPE, Green nylon, Spandex (Double)
Coating	NBR micro finish palm dip (with reinforcement NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Green, Black
Applications	Automotive, assembly
Features	Great comfort and flexible



FY363NF	
Yarn	18gauge HPPE, Navy nylon, Spandex (Double)
Coating	NBR micro finish palm dip (with reinforcement NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Navy, Black
Applications	Automotive, assembly
Features	Highest wearing comfort and flexible



FDN333B	
Yarn	15gauge HPPE, Blue nylon, Spandex (Double)
Coating	NBR micro finish palm dip (with reinforcement NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Blue, Gray
Applications	Automotive, assembly
Features	Touch Screen, Great grip for soft coating



Cut protection glove_Level 4~5



MODEL#FP763NF

703W

Yarn	13gauge HPPE, Glass, White nylon, Spandex
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	White, White
Applications	Fishing industry, wire & cable industry
Features	Flexible, seamless liner



713A

Yarn	13gauge HPPE, Glass, Black nylon, Spandex
Coating	PU palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Gray
Applications	Metal handling
Features	Great breathability, high cut resistant



Cut protection glove_Level 4~5

GD784A

Yarn	13gauge HPPE, Glass, Black nylon, Spandex
Coating	NBR smooth finish half(3/4) +NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Blue, Black
Applications	Fishing industry, Wire & cable industry
Features	Highest cut resistant level



GD785A

Yarn	13gauge HPPE, Glass, Black nylon, Spandex
Coating	NBR smooth finish full +NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Blue, Black
Applications	Razor blade manufacturing
Features	Oil and grease resistant



763A

Yarn	13gauge HPPE, Glass, Black nylon, Spandex
Coating	NBR smooth finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Metal handling, Glass handling
Features	High cut resistant level



F763A

Yarn	13gauge HPPE, Glass, Black nylon, Spandex
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Transportation work, Automotive
Features	Anti slip, high abrasion resistance



Cut protection glove_Level 4~5

G763A

Yarn	13gauge HPPE, Glass, Black nylon, Spandex
Coating	NBR sandy finish palm dip
Size	XS/X/M/L/XL/XXL
Colour	Black speckled, Black
Applications	Wire & Cable industry
Features	Anti slip, flexible



G763RA

Yarn	13gauge HPPE, Glass, Orange nylon, Spandex(Double)
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Orange, Black
Applications	Shipping/ Logistics
Features	Visible, high cut protection



G763HG

Yarn	13gauge HPPE, Glass, Hivis- nylon, Spandex(Double)
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Hi-viz green, Black
Applications	Shipping/ Logistics
Features	Visible, high cut protection



G763B

Yarn	13gauge HPPE, Glass, Blue nylon, Spandex
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Blue, Black
Applications	Maintenance and repair
Features	Very high cut protection and flexible



Cut protection glove_Level 4~5

FP763NF 18GAUGE

Yarn	18gauge HPPE, Glass, Navy nylon, Spandex (Double)
Coating	NBR micro foam palm dip (with reinforcement NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Dark Blue, Black
Applications	Fishing industry, packaging
Features	Flexible, great breathability



EN407



X1XXXX

EN388



4X42F



F764A

Yarn	13gauge HPPE, Glass, Black nylon, Spandex (Double)
Coating	NBR foam half(3/4) dip
Size	XS/S/M/L/XL/XXL
Colour	Black, Black
Applications	Maintenance and repair
Features	Oil and grease resistant



713G

Yarn	13gauge Gray HPPE, Gray nylon, spandex
Coating	Gray PU palm
Size	XS/S/M/L/XL/XXL
Colour	Gray, Gray
Applications	Metal handling, Glass handling
Features	High cut resistant level



L793G

Yarn	15gauge Gray HPPE, Gray nylon, spandex
Coating	Latex foam palm (diamond stamp)
Size	XS/S/M/L/XL/XXL
Colour	Gray, Dark Green
Applications	Transportation work, Automotive
Features	Anti slip, high abrasion resistance



EN388



4543D



Cut protection glove_Level 4~5

L793HG

Yarn	13gauge HPPE, Glass, nylon, spandex
Coating	Latex foam palm dip(diamond stamp
Size	XS/S/M/L/XL/XXL
Colour	Hi-viz Green, Blue
Applications	Wire & Cable industry
Features	Visible, high cut protection



GD763G

Yarn	13gauge Gray HPPE, Gray Nylon, Spandex
Coating	NBR sandy finish double palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Shipping/ Logistics
Features	Oil or Liquid resistant



GD784G

Yarn	13gauge Gray HPPE, Nylon, Spandex
Coating	NBR sandy finish double palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Blue, Black
Applications	Shipping/ Logistics
Features	Oil or Liquid resistant, high cut resistant



F7143YP

TOUCH SCREEN COMPATIBLE

Yarn	13gauge HPPE, Glass, Nylon, Spandex, Carbon liner only fingertop
Coating	NBR foam palm dip (with reinforcement NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Hi-viz Yellow
Applications	Mining, Agriculture
Features	Touch Screen, Visible, High cut resistant level

ANTISTATIC
KNITTING
(TOUCH SCREEN)



Cut protection glove_Level 4~5

GDPB763N

Yarn	13gauge HPPE, Glass, Navy nylon, Spandex (Double)
Coating	NBR sandy finish palm(Double) (with reinforcement NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Dark Blue, Black
Applications	Maintenance and repair
Features	Flexible, great breathability



L763B

Yarn	10gauge HPPE, Glass, Blue nylon, Spandex(Double)
Coating	Latex crinkled thumb dip(Double)
Size	S/M/L/XL/XXL
Colour	Black, Blue, Black
Applications	Maintenance
Features	Cold resistant



GDPR763G

Yarn	13gauge Gray HPPE, Gray nylon, Spandex
Coating	NBR sandy finish palm(Double) (with reinforcement NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Metal handling, Glass handling
Features	High cut resistant level



LC7114G

Yarn	13gauge Gray HPPE, Gray nylon, Spandex
Coating	Latex waved crinkled half dip
Size	S/M/L/XL/XXL
Colour	Gray, Green
Applications	Metal handling, Glass handling
Features	High cut resistant level, Heavy duty



Cut protection glove_Level 4~5

G763G

Yarn	13gauge HPPE, Glass, ,Nylon, Spandex
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Metal handling, Glass handling
Features	High cut resistant level



G763DG

Yarn	13gauge Dark gray HPPE, Gray Nylon, Spandex
Coating	NBR sandy finish palm dip
Size	XS/S/M/L/XL/XXL
Colour	Dark gray, Black
Applications	Metal handling, Glass handling
Features	High cut resistant level



S703HG

**SILICON COATED:
NO FINGER PRINT**

Yarn	13gauge Hiviz-HPPE, Hivis-Nylon, Spandex
Coating	Silicone palm dip
Size	XS/S/M/L/XL/XXL
Colour	Hi-viz green, Hi-viz green
Applications	Shipping/ Logistics
Features	Visible, High cut resistant level



G1736B

Yarn	13gauge HPPE, Glass, Nylon, Spandex +TPR
Coating	NBR sandy finish palm dip (with reinforcement NBR patch)
Size	XS/S/M/L/XL/XXL
Colour	Gray, Black
Applications	Mining, Agriculture
Features	High cut resistant level



Cut protection glove_Level 4~5

F763BL	21GAUGE
Yarn	21gauge HPPE, Glass, nylon, Spandex (Double)
Coating	NBR foam palm dip
Size	XS/S/M/L/XL/XXL
Colour	Black, Black
Applications	Metal handling, Glass handling
Features	High cut resistant level



GDP774GN	
Yarn	18gauge HPPE, Green nylon, Spandex (Double)
Coating	NBR half + NBR sandy finish palm Double dip (leather patch)
Size	XS/X/M/L/XL/XXL
Colour	Green, Gray, Black
Applications	Metal industry, Maintenance
Features	Water and oil proof, leather patch



A close-up photograph showing a person's hands wearing heavy-duty work gloves. The gloves are primarily blue with white cuffs and red trim. The person is holding a thick, braided steel cable. The background is filled with more of these cables, some coiled and others hanging. The lighting is somewhat dim, highlighting the texture of the steel and the material of the gloves.

Heavy-duty
glove



Latex double waved coating for enhanced dry and wet grip

Knit wrist to keep hands clean from dirt and debris

Outstanding ventilation of Cotton shell

Heavy-duty glove

LC4114

Yarn	24gauge Cotton(Interlock) knit wrist
Coating	Latex waved crinkled half(3/4) dip
Size	S/M/L/XL/XXL
Colour	Beige, Green
Applications	Gardening, Landscaping
Features	Enhanced dry and wet grip



4144

Yarn	24gauge Cotton(Interlock) knit wrist
Coating	Nitrile half(3/4) dip
Size	S/M/L/XL/XXL
Colour	Beige, Yellow
Applications	Transport, Packaging work
Features	Good dexterity



4145

Yarn	24gauge Cotton(Interlock) knit wrist
Coating	Nitrile full dip
Size	S/M/L/XL/XXL
Colour	Beige, Orange
Applications	All-round gloves, Repairs
Features	Exceptional comfort



494

Yarn	24gauge Cotton(Interlock) knit wrist
Coating	Nitrile half(3/4) dip
Size	S/M/L/XL/XXL
Colour	Beige, Dark blue
Applications	Light/ Medium metal processing
Features	Good ventilation



Heavy-duty glove

994

Yarn	24gauge Cotton(Jersey) knit wrist
Coating	Nitrile half(3/4) dip
Size	S/M/L/XL/XXL
Colour	Beige, Dark blue
Applications	General warehousing
Features	Good abrasion resistance



995

Yarn	24gauge Cotton(Jersey) knit wrist
Coating	Nitrile full dip
Size	S/M/L/XL/XXL
Colour	Beige, Dark blue
Applications	Logistics
Features	Resists grease oil and liquids



994C

Yarn	24gauge Cotton(Jersey) with safety cuff
Coating	Nitrile half(3/4) dip
Size	S/M/L/XL/XXL
Colour	Beige, Dark blue
Applications	Fabricated building materials
Features	Tear -resistant



995C

Yarn	24gauge Cotton(Jersey) with safety cuff
Coating	Nitrile full dip
Size	S/M/L/XL/XXL
Colour	Beige, Dark blue
Applications	Heavy duty castings
Features	Maximize fit and comfort



MAIN_CP Fuse Noise FT

MULTI COC

ESD/Anti-static glove

K3 K4 K5 K6

TEST BED_CT
ROBOT_CT



802W

Yarn	13gauge White Nylon(80%), Carbon liner(20%)
Coating	White PU finger top dip
Size	S/M/L/XL/XXL
Colour	Gray speckled, White
Applications	Electronics, Aerospace science
Features	Surface Resistivity : $1 \times 10^{3-5}\Omega$



803W

Yarn	13gauge White Nylon(80%), Carbon liner(20%)
Coating	White PU palm dip
Size	S/M/L/XL/XXL
Colour	Gray speckled, White
Applications	Biotech, Lab examination
Features	Surface Resistivity : $1 \times 10^{3-5}\Omega$



MODEL# 802W





Cold protection
glove

Cold protection glove

L663BL

Yarn	13G polyester + 7G Thermal liner (Napping inside)
Coating	Latex foam palm
Size	S/M/L/XL/XXL
Colour	Black, Black
Applications	Refrigerated area
Features	Extra softness



L663HY

Yarn	7G Thermal liner(Napping inside)
Coating	Latex foam palm
Size	S/M/L/XL/XXL
Colour	Hi-viz yellow, Black
Applications	Construction, Outdoor
Features	Comfort fit



LD665RA

Yarn	13G polyester + 7G Thermal liner (Napping inside)
Coating	Latex full dip + latex sandy palm dip (thumb dip) double dipping
Size	S/M/L/XL/XXL
Colour	Orange, Orange, Dark gray
Applications	Refrigerated area, fishing
Features	Excellent thermal insulation



G664B

Yarn	13G polyester + 7G Thermal liner (Napping inside)
Coating	NBR sandy finish half double dip
Size	S/M/L/XL/XXL
Colour	Black + Blue, Black
Applications	Fishing, Refrigerated area
Features	Excellent thermal insulation, Water and oil proof





Chemical protection
glove

Chemical protection glove

CH0115

Composition	Nitrile flocklined (L:325mm,Thk:0.38mm, Single wall)
Size	S/M/L/XL
Colour	Green
Applications	Oil refining, Chemical plants
Features	High durability



CH0175

Composition	Bi-color Neoprene (L:325mm,Thk:0.53mm)
Size	S/M/L/XL
Colour	Yellow, Blue
Applications	Chemical plant, Food processing
Features	Improved puncture resistant



CH2165

Yarn	18G Nylon (Length : 275mm)
Coating	Nitrile full + Nitrile micro foam palm
Size	S/M/L/XL
Colour	Green, Black
Applications	Painting industry, Chemical plant
Features	Good protection from hydraulic fluids



MODEL# CH0175





NABI HANDS CO.,LTD.

Address 1 // 51-1, Dongnam-ro 91beon-gil, Daedong-myeon,
Gimhae-si, Gyeongsangnam-do, Korea (50808)

Address 2 // 12 Gonghang-ro 383 Beon-gil, Gangseo-gu, Busan, Korea

Tel// +82-51-925-2887

Fax// +82-51-925-2886

Website // www.nabihands.com